#### **HOW TO USE A DISKUS**

**Dry Powder Inhaler (DPI)** 

Using your inhaler properly is important for treating pulmonary disease



# How to Use Your Diskus Dry Powder Inhaler (DPI)

A diskus is used with several different medications. These include:

- Advair (fluticasone propionate & salmeterol)
- Serevant (salmeterol xinafoate)
- Flovent (fluticasone propionate)




Figure 1: Diskus

The diskus (figure 1) contains 60 doses of medication (Advair®, Flovent®, or Serevent® are the brand names of the medication that may be prescribed for you). It has a dose indicator that counts down the number of doses as you use them. Doses 5 through 0 are in red to alert you to refill your prescription. When the "0" appears in the dose indicator, throw away the diskus and begin a new one.

### **Preparing the Diskus**

- 1. Hold the diskus in your left hand. Place the thumb of your right hand in the thumb grip. Push your thumb as far away from you as it will go. This action opens the diskus to expose the lever underneath.
- 2. Slide the lever away from you until it clicks. This action loads the dose of medication. You will see the dose counter decrease by one.

#### Inhaling the medication

Once you have your DPI loaded, follow these steps to inhale the medication:

- 3. Turn your head away from the diskus and breathe out as much air as you comfortably can.
- 4. Place the diskus mouthpiece in your mouth and breathe in strong and steady but not too fast, and fill your lungs completely.
- 5. Hold your breath for up to 10 seconds.
- 6. Remove the diskus from your mouth and exhale slowly.
- 7. Close the diskus by placing your thumb in the thumb grip and sliding the grip back toward you, as far as it will go. This action resets the inhaler so it is ready to use for the next treatment.
- 8. If more than one dose is prescribed, repeat steps 1 through 7 for each dose.

## Caring for your DPI

- Keep your dry powder inhaler in a dry place at room temperature.
- Never place the DPI in water.
- Never shake or breathe into the DPI.
- Never use a spacer device with your DPI.
- When taking dry powder inhalers, you may not taste, smell, or feel the dry powder. This experience may be different from what you are used to. As long as you follow the directions, you will get your full dose of medication.
- If you are using a corticosteroid medication, rinse your mouth and gargle after using the DPI. Do not swallow.







